


Amendments to the Claims:

Please amend the claims as follows:

1. – 43. (cancelled)

44. (previously presented) A compound of the formula:



where:

each of W, X and Y is independently CR⁶R⁷, O, or S, provided that at least one of W, X, and Y contains a non-carbon ring atom, and at least one of W, X, and Y contains a carbon ring atom; Z is N or C-R⁸;

each of R¹, R², R⁶, and R⁸ is independently hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halo(lower alkyl), -CF₃, halogen, nitro, -CN, -OR⁹, -SR⁹, -NR⁹R¹⁰, -NR⁹(carboxy(lower alkyl)), -C(=O)R⁹, -C(=O)OR⁹, -C(=O)NR⁹R¹⁰, -OC(=O)R⁹, -SO₂R⁹, -OSO₂R⁹, -SO₂NR⁹R¹⁰, -NR⁹SO₂R¹⁰, or -NR⁹C(=O)R¹⁰, where R⁹ and R¹⁰ are independently hydrogen, optionally substituted lower alkyl, lower alkyl-N(C₁₋₂ alkyl)₂, lower alkyl(optionally substituted heterocycloalkyl), alkenyl, alkynyl, optionally substituted cycloalkyl, cycloalkyl(lower alkyl) optionally substituted heterocycloalkyl(lower alkyl), aryl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, or heteroaryl(lower alkyl), or R⁹ and R¹⁰ together are -(CH₂)₄₋₆- optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C₁₋₂ alkyl) group;

R³ and R⁴ are independently hydrogen or lower alkyl or together are -(CH₂)₄₋₆;

each R⁷ is independently hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl, optionally substituted

aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), $-C(=O)R^9$, $-C(=O)OR^9$, $-C(=O)NR^9R^{10}$, $-SO_2R^9$, or $-SO_2NR^9R^{10}$, where R^9 and R^{10} are independently hydrogen, optionally substituted lower alkyl, lower alkyl- $N(C_{1-2} \text{ alkyl})_2$, lower alkyl(optionally substituted heterocycloalkyl), alkenyl, alkynyl, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted heterocycloalkyl(lower alkyl), aryl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, or heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(CH_2)_{4-6}$ - optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)), or N-(optionally substituted C_{1-2} alkyl) group;

R^{13} is hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, cycloalkyl, cycloalkyl(lower alkyl), heterocycloalkyl, optionally substituted aryl, optionally substituted aryl(lower alkyl), optionally substituted heteroaryl, optionally substituted heteroaryl(lower alkyl), halo(lower alkyl), $-CF_3$, halo(lower alkyl), halogen, nitro, $-CN$, $-OR^{15}$, $-SR^{15}$, $-NR^{15}R^{16}$, $-C(=O)R^{15}$, $-C(=O)OR^{15}$, $-C(=O)NR^{15}R^{16}$, $-OC(=O)R^{15}$, $-SO_2R^{15}$, $-SO_2NR^{15}R^{16}$, $-NR^{15}SO_2R^{16}$, or $-NR^{15}C(=O)R^{16}$, where R^{15} and R^{16} are independently hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, $-CF_3$, cycloalkyl, optionally substituted heterocycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, or optionally substituted heteroaryl(lower alkyl), or together are $-(CH_2)_{4-6}$ - optionally interrupted by one O, S, NH or N- $(C_{1-2} \text{ alkyl})$ group;

each R^{14} is independently optionally substituted lower alkyl, optionally substituted aryl, optionally substituted heteroaryl, hydroxy, halogen, $-CF_3$, $-OR^{17}$, $-NR^{17}R^{18}$, $-C(=O)R^{17}$, $-C(=O)OR^{17}$, $-O(CH_2)_mC(=O)OR^{17}$, where m is an integer of 1 to 4, or $-C(=O)NR^{17}R^{18}$, where R^{17} and R^{18} are independently, hydrogen, lower alkyl, alkenyl, alkynyl, $-CF_3$, optionally substituted heterocycloalkyl, cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, heteroaryl, heteroaryl(lower alkyl) or, together, are $-(CH_2)_{4-6}$ -, optionally interrupted by one O, S, NH or N- $(C_{1-2} \text{ alkyl})$ group; and

n is an integer of 0 to 4;

or a pharmaceutically acceptable salt thereof, as a single stereoisomer or mixture of stereoisomers.

45. (previously presented) The compound of claim 44, where W and Y are O, X is CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is C-H.

46. (previously presented) The compound of claim 44, where W and X are each CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, Y is O, and Z is C-H.

47. (previously presented) The compound of claim 44, where W is O, X and Y are each CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is C-H.

48. (previously presented) The compound of claim 44, where W and X are each CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is N.

49. (previously presented) The compound of claim 44, where W is CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, X is O, and Z is N.

50. (previously presented) The compound of claim 44, where W is O, X is CR^6R^7 , where R^6 and R^7 are independently hydrogen, lower alkyl, or optionally substituted aryl, and Z is N.

51. (previously presented) The compound of claim 44, where R^1 is hydrogen, optionally substituted lower alkyl, cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halogen, $-\text{OR}^9$, $-\text{NR}^9[\text{carboxy}(\text{lower alkyl})]$, $-\text{C}(=\text{O})\text{OR}^9$, $-\text{C}(=\text{O})\text{NR}^9\text{R}^{10}$, $-\text{SO}_2\text{NR}^9\text{R}^{10}$, or $-\text{NR}^9\text{C}(=\text{O})\text{R}^{10}$, where R^9 and R^{10} are independently hydrogen, optionally substituted lower alkyl, lower alkyl- $\text{N}(\text{C}_{1-2} \text{ alkyl})_2$, lower alkyl(optionally substituted heterocycloalkyl), optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(\text{CH}_2)_{4-6}$ - optionally interrupted by one O, S,

NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C₁₋₂ alkyl) group.

52. (previously presented) The compound of claim 44, where R² is hydrogen, optionally substituted lower alkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halo(lower alkyl), halogen, -OR⁹, -NR⁹R¹⁰, -C(=O)OR⁹, or -C(=O)NR⁹R¹⁰, where R⁹ and R¹⁰ are independently hydrogen, optionally substituted lower alkyl, lower alkyl-N(C₁₋₂ alkyl)₂, lower alkyl(optionally substituted heterocycloalkyl), optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl), or R⁹ and R¹⁰ together are -(CH₂)₄₋₆- optionally interrupted by one O, S, NH, N-(aryl), N-[aryl(lower alkyl)], N-(carboxy(lower alkyl)) or N-(optionally substituted C₁₋₂ alkyl) group.

53. (previously presented) The compound of claim 44 where R³ and R⁴ are independently hydrogen or lower alkyl.

54. (previously presented) The compound of claim 44, where R⁶ and R⁷ are independently hydrogen, optionally substituted lower alkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), -C(=O)R⁹, -C(=O)OR⁹, -C(=O)NR⁹R¹⁰, -SO₂R⁹, or -SO₂NR⁹R¹⁰, where R⁹ and R¹⁰ are independently, hydrogen, optionally substituted lower alkyl, lower alkyl-N(C₁₋₂ alkyl)₂, alkenyl, alkynyl, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, heteroaryl, or heteroaryl(lower alkyl).

55. (previously presented) The compound of claim 44, where R⁸ is hydrogen, optionally substituted lower alkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halo(lower alkyl), -CF₃, halogen, -OR⁹,

$-\text{NR}^9\text{R}^{10}$, $-\text{C}(=\text{O})\text{R}^9$, $-\text{C}(=\text{O})\text{OR}^9$, $-\text{C}(=\text{O})\text{NR}^9\text{R}^{10}$, $-\text{OC}(=\text{O})\text{R}^9$, $-\text{SO}_2\text{R}^9$, $-\text{SO}_2\text{NR}^9\text{R}^{10}$, $-\text{NR}^9\text{SO}_2\text{R}^{10}$ or $-\text{NR}^9\text{C}(=\text{O})\text{R}^{10}$, where R^9 and R^{10} are independently, hydrogen, optionally substituted lower alkyl, lower alkyl- $\text{N}(\text{C}_{1-2} \text{ alkyl})_2$, optionally substituted cycloalkyl, cycloalkyl(lower alkyl), optionally substituted aryl, heteroaryl, heteroaryl(lower alkyl), or R^9 and R^{10} together are $-(\text{CH}_2)_{4-6}$ - optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C_{1-2} alkyl) group.

56. (previously presented) The compound of claim 44, where R^1 and R^2 are independently hydrogen, lower alkyl, halogen, optionally lower alkyl substituted heterocycloalkyl, $-\text{OR}^9$, $-\text{SR}^9$, or $-\text{NR}^9\text{R}^{10}$, where R^9 and R^{10} are hydrogen, lower alkyl or optionally substituted aryl.

57. (previously presented) The compound of claim 44, where R^1 , R^2 , and R^8 are independently optionally substituted lower alkyl, cycloalkyl, optionally substituted heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted aryl(lower alkyl), halogen, $-\text{OR}^9$, $-\text{NR}^9[\text{carboxy}(\text{lower alkyl})]$, $-\text{C}(=\text{O})\text{OR}^9$, $-\text{C}(=\text{O})\text{NR}^9\text{R}^{10}$, $-\text{SO}_2\text{NR}^9\text{R}^{10}$, or $-\text{NR}^9\text{C}(=\text{O})\text{R}^{10}$, where R^9 and R^{10} are independently, hydrogen, lower alkyl, or R^9 and R^{10} together are $-(\text{CH}_2)_{4-6}$ - optionally interrupted by one O, S, NH, N-(aryl), N-(aryl(lower alkyl)), N-(carboxy(lower alkyl)) or N-(optionally substituted C_{1-2} alkyl) group.

58. (previously presented) The compound of claim 44, where R^1 , R^3 , and R^4 are hydrogen.

59. (previously presented) The compound of claim 44, where R^{13} is hydrogen, optionally substituted lower alkyl, alkenyl, alkynyl, heterocycloalkyl, optionally substituted aryl, optionally substituted heteroaryl, optionally substituted heteroaryl(lower alkyl), halo(lower alkyl), $-\text{CF}_3$, halogen, nitro, $-\text{CN}$, $-\text{OR}^{15}$, $-\text{SR}^{15}$, $-\text{NR}^{15}\text{R}^{16}$, $-\text{C}(=\text{O})\text{R}^{15}$, $-\text{C}(=\text{O})\text{OR}^{15}$, $-\text{C}(=\text{O})\text{NR}^{15}\text{R}^{16}$, or $-\text{NR}^{15}\text{C}(=\text{O})\text{R}^{16}$, where R^{15} and R^{16} are independently hydrogen, optionally substituted lower alkyl, alkenyl, cycloalkyl, or halo(lower alkyl).

60. (previously presented) The compound of claim 44, where R^{13} is alkynyl, optionally substituted aryl, optionally substituted heteroaryl, halogen, $-CF_3$, $-CN$, $-OR^{15}$, $-C(=O)R^{15}$, $-C(=O)OR^{15}$, or $-C(=O)NR^{15}R^{16}$, where R^{15} and R^{16} are independently, hydrogen, lower alkyl, halo(lower alkyl), optionally substituted aryl, optionally substituted heteroaryl, heteroaryl(lower alkyl) or R^{15} and R^{16} together are $-(CH_2)_{4-6}$, optionally interrupted by one O, S, NH or N-(C_{1-2} alkyl) group.

61. (currently amended) The compound of claim 44, where each R^{14} is independently optionally substituted lower alkyl, optionally substituted aryl, optionally substituted heteroaryl, hydroxy, halogen, $-CF_3$, $-OR^{17}$, $-NR^{17}R^{18}$, $-C(=O)R^{17}$, $[-]C(=O)OR^{17}$, $-O(CH_2)_mC(=O)OR^{17}$, where m is an integer of 1 to 4, or $-C(=O)NR^{17}R^{18}$, where R^{17} and R^{18} are, independently, hydrogen, lower alkyl, alkenyl, or optionally substituted aryl.

62. (previously presented) The compound of claim 44, where each R^{14} is independently halogen, $-CF_3$, $-OR^{17}$, $-C(=O)OR^{17}$, $-O(CH_2)_mC(=O)OR^{17}$, where m is an integer of 1 to 4, or $-C(=O)NR^{17}R^{18}$, where R^{17} and R^{18} are independently, hydrogen, lower alkyl, optionally substituted aryl, heteroaryl, or heteroaryl(lower alkyl), or R^{17} and R^{18} together are $-(CH_2)_{4-6}$, optionally interrupted by one O, S, NH or N-(C_{1-2} alkyl) group.

63. (previously presented) The compound of claim 44 where R^{13} is not hydrogen and n is 1 or 2.

64. (previously presented) The compound of claim 63 where n is 1.

65. (currently amended) The compound of claim 44 that is selected from:
 2H-benzo[d]1,3-dioxolan-5-yl-N-{[(3-chloro-4-hydroxyphenyl)amino]carbonyl}carboxamide;
 2H-benzo[d]1,3-dioxolan-5-yl-N-{[(3,4-dichlorophenyl)amino]carbonyl}carboxamide;
 2H-benzo[d]1,3-dioxolan-5-yl-N-([2,6-bis(methylethyl)phenyl]amino)carbonyl}carboxamide;
 2H-benzo[d]1,3-dioxolan-5-yl-N-{[(4-hydroxyphenyl)amino]carbonyl}carboxamide;
 2H-benzo[d]1,3-dioxolan-5-yl-N-{[(3-chloro-4-methoxyphenyl)amino]carbonyl}carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-{{(3-chlorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[d]1,3-dioxolan-5-yl-N-[(phenylamino)carbonyl]carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(5-chloro-2-hydroxyphenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(3-fluorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(2,6-difluorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(2,3-difluorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(4-fluorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(4-chlorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(3,4-difluorophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[4-(trifluoromethyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(trifluoromethyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(4-nitrophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[4-nitro-3-(trifluoromethyl)phenyl]amino}carbonyl)-
carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[4-chloro-3-(trifluoromethyl)phenyl]amino}carbonyl)-
carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(4-bromophenyl)amino}carbonyl}carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-{{(3-bromophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(5-chloro-2-hydroxyphenyl)amino}carbonyl}-
 carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(3-fluorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(2,6-difluorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(2,3-difluorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(4-fluorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(4-chlorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-{{(3,4-difluorophenyl)amino}carbonyl}carboxamide;
 2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-({[4-(trifluoromethyl)phenyl]amino}carbonyl)-
 carboxamide;

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-nitrophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-nitro-3-(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-chloro-3-(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-bromophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-bromophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([3-cyanophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([2,4-dichlorophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([4-methoxyphenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([4-iodophenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([3-iodophenyl]amino)carbonyl)-carboxamide;~~

~~4-([(2H-benzo[d]1,3-dioxolan-5-ylcarbonylamino)carbonyl]amino)benzamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([3-fluoro-4-(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;~~

~~2H-benzo[d]1,3-dioxolan-5-yl-N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;~~

2H-benzo[d]1,3-dioxolan-5-yl-N-([4-phenylphenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3-(trifluoromethoxy)phenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3-(trifluoromethylthio)phenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3-(methylethyl)phenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3-ethylphenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([3-ethoxyphenyl]amino)carbonyl)-carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(methylethoxy)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(tert-butyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-phenylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-chloro-4-methylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-iodo-4-methylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[4-methyl-3-(trifluoromethyl)phenyl]amino}carbonyl)-
carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-phenoxyphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-nitrophenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3,5-dichlorophenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-acetylphenyl]amino}carbonyl)carboxamide;
methyl 3-({[(2H-benzo[d]1,3-dioxolan-5-ylcarbonylamino)carbonyl]amino}benzoate;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(1H-1,2,3,4-tetraazol-5-yl)phenyl]amino}carbonyl)-
carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-ethynylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-chloro-2-methylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[5-chloro-2-methylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-chloro-2,6-diethylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[5-iodo-2-methylphenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(2-pyridyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(1,3-thiazol-2-yl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(3-thienyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(2-furyl)phenyl]amino}carbonyl)carboxamide;
2H-benzo[d]1,3-dioxolan-5-yl-N-({[3-(2-thienyl)phenyl]amino}carbonyl)carboxamide;
(6-chloro(2H-benzo[d]1,3-dioxolan-5-yl))-N-({[3-cyanophenyl]amino}carbonyl)carboxamide;
(6-chloro(2H-benzo[d]1,3-dioxolan-5-yl))-N-({[3-iodophenyl]amino}carbonyl)carboxamide;
(6-chloro(2H-benzo[d]1,3-dioxolan-5-yl))-N-({[3-(trifluoromethyl)phenyl]amino}carbonyl)-
carboxamide;

(6-chloro(2H-benzo[d]1,3-dioxolan-5-yl))-N-([3-(methylethoxy)phenyl]amino)carbonyl)-
carboxamide;

(6-chloro(2H-benzo[d]1,3-dioxolan-5-yl))-N-([4-fluoro-3-(trifluoromethyl)phenyl]amino)-
carbonyl)carboxamide;

2H-benzo[d]1,3-dioxolan-5-yl-N-([(3-chlorophenyl)methylamino]carbonyl)-N-methyl-
carboxamide;

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([(4-phenylphenyl)amino]carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(trifluoromethoxy)phenyl]amino)carbonyl)-~~
~~carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(trifluoromethylthio)phenyl]amino)carbonyl)-~~
~~carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3,5-bis(trifluoromethyl)phenyl]amino)carbonyl)-~~
~~carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(methylethyl)phenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-ethylphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-ethoxyphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(methylethoxy)phenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-(tert-butyl)phenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-phenylphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-chloro-4-methylphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-iodo-4-methylphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([4-methyl-3-(trifluoromethyl)phenyl]amino)carbonyl)-~~
~~carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-phenoxyphenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-nitrophenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3,5-dichlorophenyl]amino)carbonyl)carboxamide;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-([3-acetylphenyl]amino)carbonyl)carboxamide;~~

~~methyl 3-([(2H-benzo[3,4-d]1,3-dioxolen-5-yl)carbonylamino]carbonyl)amino)benzoate;~~

~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(1H-1,2,3,4-tetraazol-5-yl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-ethynylphenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-chloro-2-methylphenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((5-chloro-2-methylphenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-chloro-2,6-diethylphenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((5-iodo-2-methylphenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(2-pyridyl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(1,3-thiazol-2-yl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(3-thienyl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(2-furyl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-(2-thienyl)phenyl)amino)carbonyl)-carboxamide;~~
~~(6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-(((3-icyanophenyl)amino)carbonyl)-carboxamide;~~
~~(6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-(((3-iodophenyl)amino)carbonyl)-carboxamide;~~
~~(6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-(((3-(trifluoromethyl)phenyl)amino)carbonyl)-carboxamide;~~
~~(6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-(((3-(methylethoxy)phenyl)amino)carbonyl)-carboxamide;~~
~~(6-chloro(2H-benzo[3,4-d]1,3-dioxolen-5-yl))-N-(((4-fluoro-3-(trifluoromethyl)phenyl)amino)carbonyl)-carboxamide;~~
~~2H-benzo[3,4-d]1,3-dioxolen-5-yl-N-(((3-chlorophenyl)methylamino)carbonyl)-N-methylcarboxamide;~~
~~2H-benzo[d]1,3-dioxolan-5-yl-N-(((3-chlorophenyl)amino)carbonyl)-N-methylcarboxamide;~~
~~N-(((3,4-dichlorophenyl)amino)carbonyl)-2,3-dihydrobenzo[b]furan-5-ylcarboxamide;~~
~~N-(((3-chlorophenyl)amino)carbonyl)-2,3-dihydrobenzo[b]furan-5-ylcarboxamide;~~

2,3-dihydrobenzo[b]furan-5-yl-N-({[4-(trifluoromethyl)phenyl]amino}carbonyl)carboxamide;
2,3-dihydrobenzo[b]furan-5-yl-N-{{[4-(fluorophenyl)amino]carbonyl}carboxamide; and
2,3-dihydrobenzo[b]furan-5-yl-N-{{[4-(methoxyphenyl)amino]carbonyl}carboxamide;
and the pharmaceutically acceptable salts thereof, as single stereoisomers or mixtures of
stereoisomers.

66. (previously presented) A pharmaceutical composition comprising a therapeutically effective amount of a compound of claim 44 and a pharmaceutically acceptable excipient.

67. (previously presented) The pharmaceutical composition of claim 66, further comprising an anti-inflammatory drug, cytokine, or immunomodulator.

68. (currently amended) A method of treating an allergic, inflammatory, or autoimmune disorder or disease selected from the group consisting of asthma, atherosclerosis, glomerulonephritis, pancreatitis, restenosis, rheumatoid arthritis, diabetic nephropathy, pulmonary fibrosis, inflammatory bowel disease, Crohn's disease, transplant rejection, and multiple sclerosis, comprising administering a therapeutically effective amount of a compound of claim 44 to a mammal in need of such treatment.

69. (previously presented) The method of claim 68 where the compound is administered in combination with an anti-inflammatory drug, cytokine, or immunomodulator.

70. – 72. (cancelled).